

2022

Burbage Iron Craft Ltd

METAL GATES & FENCING

WOODEN GATES

ROSE ARCHES



BURBAGE IRON CRAFT LTD

www.burbageironcraft.co.uk
sales@burbageironcraft.co.uk
Tel: 01543 438217



Member of the Argent
Industrial Group

General Information




MEASURING

All metal range sizes refer to the total post to post opening (gap) and not the physical width of the gate, fence or railing; we have already allowed for the hinge and latch gaps. Wooden range gates are actual physical width.



MADE-TO-MEASURE SPECIAL SIZES


A made to measure service is available for gates, railing and fence, where stated. Contact us with your details on our helpline, fax, or email for a quotation. Standard finish on Made-to-Measure metal products is primed only unless otherwise agreed. Primed finish needs to still be painted. Due to physical constraints, special sizes may not always look exactly the same as the picture in the brochure.



FITTINGS PACKS

Unless specified, all metal gates, fence and railings are supplied with a fittings pack to fix to timber, brickwork or metal posts. Screws, wall plugs and rawl bolts are not included in fitting packs. Nuts & bolts must be painted after fitting to prevent onset of rust. Moving parts will need to be regularly painted. Wooden gates require fittings to be purchased separately.

POSTS



Due to the weight of the gates, care must be taken to ensure that the post or brickwork is strong enough to support them. Height of ball top posts do not include the ball. Blank metal posts will require on site drilling to fit the hinge and/or latch brackets. Take care to ensure posts are long enough to suit the ground conditions, particularly for fencing on sloping ground conditions where longer posts will be required.

WOODEN GATES TREATMENT

Timber gates are pressure treated with Tanalith-E, a good general purpose wood preserver to help extend the life of the timber but the gates should still be regularly inspected and treated as required.



ELECTRO GALVANISED & POWDER COATED FINISH

BIC has introduced the improved electro galvanised and black powder coated finish. This is designed to provide added corrosion resistance. The coating is however not a 100% rust prevention guarantee. It is still the end customers responsibility to periodically paint / touch up any damage to the powder coating finish. Rusting is not considered a manufacturing fault and as such does not constitute a warranty claim.



AVAILABILITY, DELIVERY AND RETURNS

£15.00 (excl vat) carriage charge applies to all orders up 4 items, larger quantity orders may incur a surcharge to be quoted at time of order.

Unless stated, most gates, fencing and railings are available ex-stock 5-7 working days, UK mainland delivery. If we happen to be out of stock, delivery can be up to 28 working days, you will be informed at time of order. Larger orders or heavy 2-man deliveries can take 7-15 working days delivery.

Non Stocked and Made-to-Measure items can take up to 28 working days for UK mainland delivery.

There may be a carriage surcharge for outer lying areas, Highlands, NI and Islands, to be quoted at the time of ordering.

Returns must be requested in writing within 14 working days of receipt of the goods. There is a 25% re-stocking fee for unwanted returned goods. The costs of returning unwanted goods are for the buyers account. Returned goods must be unused and in a saleable condition.

Builders must only be booked after receipt of the goods. BIC does not offer compensation for your builder costs, should the goods be delivered late or damaged and the builder has to be re-booked.



PRICING, IMAGES & SPECIFICATIONS

Prices and Product Specifications are subject to change without prior notice. You will be informed of any price discrepancies at the time of your ordering.

While every effort has been made to portray the product and produce an accurate brochure, BIC reserves the right to amend any errors found after publication. Physical products manufactured may differ from the images in the brochure due to the design changing as the width changes.

If you are unsure about the pricing or size requirements, then please do not hesitate to call our Trade Helpline.

All quotations are only valid for 30 days from quote date.

Burbage Iron Craft Ltd
Unit 16 Mill Park
Hawks Green Industrial Estate
Cannock
Staffordshire
WS11 7XT



Trade Helpline:
01543 438217

Fax: 01543 438237

sales@burbageironcraft.co.uk

www.burbageironcraft.co.uk

Garden Rose Arches

ROSE ARCH SPECIFICATIONS

Side panels are manufactured in one complete section.

Side panels have solid steel infill bars.

The main outer frame and arches are 16mm diameter hollow tube


See below for other steel sizes.

Powder coated black finish, will require periodic painting.


Easy DIY install, no tools required.



Abbey ARA43



MADE TO MEASURE SERVICE IS NOT AVAILABLE ON ROSE ARCHES




Abbey Modern Rose Arch

CODE	HEIGHT	WIDTH	DEPTH
ARA43	2286mm	1100mm	410mm

Crossbar frame 20x6mm solid flat bar.
Round frame infill bars 10mm diameter.
Pattern infill bars 6mm diameter.



York Small YRA42



York Large YRA60

York Scroll Small Rose Arch

CODE	HEIGHT	WIDTH	DEPTH
YRA42	2134mm	1067mm	305mm
YRA60	2032mm	1524mm	305mm

Crossbar 20x6mm solid flat bar.
Scrollwork 10x3mm solid flat bar.

Classic Scroll



MADE TO MEASURE SERVICE
IS **NOT AVAILABLE** ON THE
CLASSIC DESIGN

CLASSIC SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames 20mm x 6mm for Singles, Bow Tops & Railings

Frames 25mm x 6mm for Doubles

Infill bars 10mm diameter

Scrollwork 10mm x 3mm

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.



Single

Classic Low Flat Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	HINGE HEIGHT	TOP OF SCROLLS
CSZP2	838mm (2'9")	812mm (32")	914mm (36")
CSZP3	914mm (3'0")	812mm (32")	914mm (36")
CSZP4	991mm (3'3")	812mm (32")	914mm (36")

Classic Low Flat Gate - Square Metal Posts.

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In



Low Bow

Classic Low Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	HINGE HEIGHT	GATE HEIGHT
CLBZP51	838mm (2'9")	812mm (32")	1181mm (46.5")
CLBZP52	914mm (3'0")	812mm (32")	1219mm (48")
CLBZP53	991mm (3'3")	812mm (32")	1257mm (49.5")

Classic Low Bow Gate - Square Metal Posts.

CODE	SIZE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In	
BP50X1400BZP	Ball Top, Blank Post, Concrete-In	



Railing

Classic Railing Panel FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	RAILING HEIGHT
CLZP06	1830mm (6')	355mm (14")

Classic Railing - Square Metal Posts

BP50X500ZP	Flat Top, Blank Post, Bolt Down
BP50X500BZP	Ball Top, Blank Post, Bolt Down



Bow Top

Classic Tall Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	GATE HEIGHT
CBZP40	762mm (2'6")	1422mm (56")	1753mm (69")
CBZP41	838mm (2'9")	1422mm (56")	1791mm (70.5")
CBZP42	914mm (3'0")	1422mm (56")	1830mm (72")
CBZP43	991mm (3'3")	1422mm (56")	1867mm (73.5")
CBZP44	1067mm (3'6")	1422mm (56")	1905mm (75")

Classic Bow Top Gate - Square Metal Posts.

CODE	STYLE
BP50X2350ZP	Flat Top, Blank Post, Concrete-In
BP50X2350BZP	Ball Top, Blank Post, Concrete-In
BP70X2350ZP	Flat Top, Blank Post, Concrete-In
BP70X2350BZP	Ball Top, Blank Post, Concrete-In

NOTE: The Tall Bow Top Gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges



Double

Classic Double Driveway Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF SCROLLS
CDZP10	2134mm (7')	812mm (32")	914mm (36")
CDZP13	2438mm (8')	812mm (32")	914mm (36")
CDZP16	2743mm (9')	812mm (32")	914mm (36")
CDZP19	3048mm (10')	812mm (32")	914mm (36")

Classic Double Driveway Gate - Square Metal Posts.

CODE	STYLE
Fits: CDZP10-13	
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
Fits: CDZP10-19	
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

Regent Scroll



MADE TO MEASURE SERVICE
IS NOT AVAILABLE ON THE
REGENT DESIGN

REGENT SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames 20mm x 6mm for Singles, Bow Tops & Railings

Frames 25mm x 6mm for Doubles

Infill bars 10mm diameter

Scrollwork 10mm x 3mm

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.



Single

Regent low Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	HINGE HEIGHT	TOP OF SCROLLS
RSZP2	838mm (2'9")	812mm (32")	914mm (36")
RSZP3	914mm (3'0")	812mm (32")	914mm (36")
RSZP4	991mm (3'3")	812mm (32")	914mm (36")

Regent Low Gate - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In



Bow Top

Regent Tall Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	HINGE HEIGHT	GATE HEIGHT
RBZP40	762mm (2'6")	1422mm (56")	1753mm (69")
RBZP41	838mm (2'9")	1422mm (56")	1791mm (70.5")
RBZP42	914mm (3'0")	1422mm (56")	1830mm (72")
RBZP43	991mm (3'3")	1422mm (56")	1867mm (73.5")
RBZP44	1067mm (3'6")	1422mm (56")	1905mm (75")

Regent Bow Top Gate - Square Metal Posts

CODE	STYLE
BP50X2350ZP	Flat Top, Blank Post, Concrete-In
BP50X2350BZP	Ball Top, Blank Post, Concrete-In
BP70X2350ZP	Flat Top, Blank Post, Concrete-In
BP70X2350BZP	Ball Top, Blank Post, Concrete-In



Double



MADE TO MEASURE SERVICE IS
NOT AVAILABLE ON THE REGENT
DESIGN DUE TO FIXED SCROLL SIZE


Regent Double Driveway Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	HINGE HEIGHT	TOP OF SCROLLS
RDZP10	2134mm (7')	812mm (32")	914mm (36")
RDZP13	2438mm (8')	812mm (32")	914mm (36")
RDZP16	2743mm (9')	812mm (32")	914mm (36")
RDZP19	3048mm (10')	812mm (32")	914mm (36")

Regent Double Driveway Gate - Square Metal Posts

CODE	STYLE
Fits: RDZP10-13	
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
Fits: RDZP10-19	
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

Railing



Regent Railing Panel FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	RAILING HEIGHT
RRZP06	1830mm (6')	395mm (15.5")

Regent Railing - Square Metal Posts

CODE	STYLE
BP50X500ZP	Flat Top, Blank Post, Bolt Down
BP50X500BZP	Ball Top, Blank Post, Bolt Down

Stirling Scroll



MADE TO MEASURE SERVICE AVAILABLE ON STIRLING RANGE,
GAPS BETWEEN SCROLL SECTIONS WILL VARY TO SUIT, SCROLL
SECTION IS A FIXED SIZE.

STIRLING SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames - 25mm x 10mm

Infill bars 10mm diameter,

Scrollwork 10mm x 3mm

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.

NOTE: The gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges



Stirling Railing FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	RAILING HEIGHT
ST06ZP	1830mm (6')	403mm (15.9")

Stirling Railing - Square Metal Posts

BP50X500ZP Flat Top, Blank Post, Bolt Down

BP50X500BZP Ball Top, Blank Post, Bolt Down



Stirling Single

Stirling Low Flat Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF SCROLLS
ST01ZP	762mm (2'6")	820mm (32")	914mm (36")
ST03ZP	914mm (3'0")	820mm (32")	914mm (36")
ST05ZP	1067mm (3'6")	820mm (32")	914mm (36")
ST07ZP	1220mm (4'0")	820mm (32")	914mm (36")

Stirling Low Flat Top Gate - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In



Henley Single

Henley Low Bow Top Single Gate

Frames 25mm x 8mm

Infill Bars 10mm diameter

Frame height to shoulder 816mm

Fittings included (no screws)

CODE	FITS OPENING	GATE HEIGHT
HESB	880mm (34.6")	942mm (37")
HESC	955mm (37.6")	942mm (37")

Henley Low Bow Top Gate - Square Metal Posts

CODE	SIZE	STYLE
BP50X1400ZP		Flat Top, Blank Post, Concrete-In
BP50X1400BZP		Ball Top, Blank Post, Concrete-In

NOTE: The gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges



Bow Top



Double

Stirling Double Driveway Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF SCROLLS
ST10ZP	2134mm (7')	820mm (32")	914mm (36")
ST13ZP	2438mm (8')	820mm (32")	914mm (36")
ST16ZP	2743mm (9')	820mm (32")	914mm (36")
ST19ZP	3048mm (10')	820mm (32")	914mm (36")
ST22ZP	3353mm (11')	820mm (32")	914mm (36")
ST25ZP	3658mm (12')	820mm (32")	914mm (36")

Stirling Double Driveway Gate - Square Metal Posts

CODE	STYLE
Fits: ST10ZP-13ZP	
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
Fits: ST10ZP-25ZP	
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

Stirling Tall Bow Top Single Gate FITTINGS INCLUDED (no screws)


CODE	FITS OPENING	FRAME HEIGHT	GATE HEIGHT
ST40ZP	762mm (2'6")	1429mm (56 1/4")	1755mm (69")
ST42ZP	914mm (3'0")	1429mm (56 1/4")	1830mm (72")
ST44ZP	1067mm (3'6")	1429mm (56 1/4")	1905mm (75")
ST46ZP	1220mm (4'0")	1429mm (56 1/4")	1980mm (78")

Stirling Tall Bow Top Gate - Square Metal Posts

CODE	STYLE
BP50X2350ZP	Flat Top, Blank Post, Concrete-In
BP50X2350BZP	Ball Top, Blank Post, Concrete-In
BP70X2350ZP	Flat Top, Blank Post, Concrete-In
BP70X2350BZP	Ball Top, Blank Post, Concrete-In

Court Hoop Top

NOTE: The gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges.



Court Single Gate FITTINGS INCLUDED (no screws)
 CODE FITS OPENING FRAME HEIGHT TOP OF HOOP
CRZP05 1000mm (3'3") 820mm (32.3") 950mm (37.4")

Court Fence & Single Gate - Square Metal Posts

CODE	STYLE	Fits
BP50X960ZP	Flat Top, Blank Post,	Bolt-Down, CRZP01
BP50X960BZP	Ball Top, Blank Post,	Bolt-Down, CRZP01
BP50X1400ZP	Flat Top, Blank Post,	Concrete-In, CRZP01 & CRZP05
BP50X1400BZP	Ball Top, Blank Post,	Concrete-In, CRZP01 & CRZP05
BP70X1400ZP	Flat Top, Blank Post,	Concrete-In, CRZP01 & CRZP05
BP70X1400BZP	Ball Top, Blank Post,	Concrete-In, CRZP01 & CRZP05

COURT SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames 25mm x 10mm

Infill bars 12mm diameter

Gap within hoops 100mm

Gap outside hoops 110mm

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.

Court Railing Panel

FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF HOOP
CRZP03	1830mm (6')	362mm (14.3")	490mm (19.3")

Court Railing - Square Metal Posts

BP50X500ZP	Flat Top, Blank Post,	Bolt Down
BP50X500BZP	Ball Top, Blank Post,	Bolt Down



**LIMITED MADE TO MEASURE
 SERVICE AVAILABLE,
 MUST FIT WITH THE STANDARD
 HOOP SIZE.**



Court Fence Panel FITTINGS INCLUDED (no screws)
 CODE FITS OPENING FRAME HEIGHT TOP OF HOOP
CRZP01 1830mm (6') 820mm (32.3") 950mm (37.4")
 See above for suitable posts

Made-to-Measure on the Court Hoop Top gates, fencing and railings are restricted because the gap within the hoop is a fixed size. We can make any height to measure, and can alter the dimension between hoops to fit your requirements. Means the gap hoop to hoop is different to the gap within the hoop. Made-to-Measure sizes have a lead time of up to 28 working days.

Abbey Modern

ABBEY SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames 25mm x 8mm

Infill bars 10mm and 6mm diameter

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.

NOTE: All the gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges.



Low Bow



LIMITED MADE TO MEASURE
SERVICE AVAILABLE DUE TO
PATTERN BEING A FIXED SIZE.



Tall Bow

Abbey Tall Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	GATE HEIGHT
ABZP42	914mm (3'0")	1422mm (56")	1950mm (76.8")
ABZP43	991mm (3'3")	1422mm (56")	1988mm (78.3")

Abbey Tall Bow Top Gate - Square Metal Posts

CODE	STYLE
BP50X2350ZP	Flat Top, Blank Post, Concrete-In
BP50X2350BZP	Ball Top, Blank Post, Concrete-In
BP70X2350ZP	Flat Top, Blank Post, Concrete-In
BP70X2350BZP	Ball Top, Blank Post, Concrete-In

Abbey Low Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	GATE HEIGHT
ABZP52	914mm (3'0")	812mm (32")	1340mm (52.8")
ABZP53	991mm (3'3")	812mm (32")	1378mm (54.3")

Abbey Low Bow Top Gate - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In



Single

Abbey Low Flat Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	GATE HEIGHT
ABZP31	838mm (2'9")	812mm (32")
ABZP32	914mm (3'0")	812mm (32")
ABZP33	991mm (3'3")	812mm (32")

Abbey Low Flat Top Gate - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In



Fence

Abbey Fence Panel FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FENCE HEIGHT
ABZP01	1830mm (6')	812mm (32")

Abbey Fence - Square Metal Posts

BP50X960ZP	Flat Top, Blank Post, Bolt-Down
BP50X960BZP	Ball Top, Blank Post, Bolt-Down
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In



Railing

Abbey Railing Panel FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	RAILING HEIGHT
ABZP06	1830mm (6')	395mm (15.6")


Abbey Railing - Square Metal Posts

BP50X500ZP	Flat Top, Blank Post, Bolt Down
BP50X500BZP	Ball Top, Blank Post, Bolt Down


Abbey Modern




LIMITED MADE TO MEASURE SERVICE AVAILABLE
DUE TO PATTERN BEING A FIXED SIZE.




ABZP10 Double



ABZP14 Double



ABZP11 Double




ABZP12 Double

Abbey Double Driveway Gate FITTINGS INCLUDED

CODE	FITS OPENING	GATE HEIGHT
ABZP10	2413mm (95")	812mm (32")
ABZP11	2755mm (108.5")	812mm (32")
ABZP12	3095mm (121.8")	812mm (32")
ABZP13	3264mm (128.5")	812mm (32")
ABZP14	3530mm (139")	812mm (32")

Abbey Double Driveway Gate - Square Metal Posts

CODE	STYLE
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In



ABZP13 Double

Verona Modern

VERONA SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Adjustable hinges for easy levelling of the gates.

Frames 25mm x 8mm

Infill bars 10mm and 6mm diameter

Finish is electro-galvanised & powder coated black.



Verona Single

Verona Low Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	GATE HEIGHT
VESB	880mm (34.6")	942mm (37")
VESC	955mm (37.6")	942mm (37")

Shoulder frame height is 816mm

Verona Low Bow Top Gate - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In



Verona Tall Single

Verona Tall Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	GATE HEIGHT
VETB	880mm (34.6")	1798mm (70.8")
VETC	955mm (37.6")	1798mm (70.8")

Shoulder frame height is 1672mm

Verona Tall Bow Top Gate - Square Metal Posts

CODE	STYLE
BP50X2350ZP	Flat Top, Blank Post, Concrete-In
BP50X2350BZP	Ball Top, Blank Post, Concrete-In
BP70X2350ZP	Flat Top, Blank Post, Concrete-In
BP70X2350BZP	Ball Top, Blank Post, Concrete-In

Manor Ball Top

MADE TO MEASURE
SERVICE AVAILABLE



Arch Railing

Manor Arched Railing Panel FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	RAILING HEIGHTS
MAZP04	1830mm (6')	360mm (14.2") side frame height, 455mm (17.9") side top of finial, 625mm (24.6") centre top of finial.

Limited Made-to-Measure on Arched Railing, smaller opening sizes can be an issue when shaping the bow to look similar to the rest of the standard panels.

Manor Flat Railing Panel FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF FINIAL
MA03	1830mm (6')	360mm (14.2")	455mm (18")
MAZP03	1830mm (6')	360mm (14.2")	455mm (18")

Manor Arched & Flat Railing - Square Metal Posts

CODE	STYLE
BP50X500ZP	Flat Top, Blank Post, Bolt Down
BP50X500BZP	Ball Top, Blank Post, Bolt Down



Fence

Manor Fence Panel FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF FINIAL
MA01	1830mm (6')	820mm (32")	915mm (36")
MAZP01	1830mm (6')	820mm (32")	915mm (36")
MAZP02	1830mm (6')	1125mm (44")	1220mm (48")

Manor Fence - Square Metal Post

CODE	STYLE	FITS
BP50X960ZP	Flat Top, Blank Post, Bolt-Down,	MA01, MAZP01
BP50X960BZP	Ball Top, Blank Post, Bolt-Down,	MA01, MAZP01
BP50X1400ZP	Flat Top, Blank Post, Concrete-In,	MA01, MAZP01
BP50X1400BZP	Ball Top, Blank Post, Concrete-In,	MA01, MAZP01
BP70X1400ZP	Flat Top, Blank Post, Concrete-In,	MA01, MAZP01
BP70X1400BZP	Ball Top, Blank Post, Concrete-In,	MA01, MAZP01
BP50X1600ZP	Flat Top, Blank Post, Concrete-In,	MAZP02
BP50X1600BZP	Ball Top, Blank Post, Concrete-In,	MAZP02

Blank Posts are better suited to uneven ground conditions, allowing the brackets to be positioned as required on the post. On-site drilling will be required. Use 1600mm long posts if step up/down is required on slopes.

MANOR SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames 25mm x 10mm

Infill bars 12mm diameter

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.

Non **ZP** codes are only powder coated black.



Flat Railing



Flat Railing



Tall Single

Manor Tall Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	TOP OF FINIAL
MAZP30	762mm (2'6")	1910mm (75.2")
MAZP32	914mm (3'0")	1930mm (76")
MAZP34	1067mm (3'6")	1940mm (76.4")
MAZP36	1220mm (4'0")	1955mm (77")

Shoulder frame height is 1772mm

Overall height may vary slightly due to bow variance.

NOTE: The gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges.


Manor Tall Bow Top Gate - Square Metal Posts

CODE	STYLE
BP70X2350ZP	Flat Top, Blank Post, Concrete-In
BP70X2350BZP	Ball Top, Blank Post, Concrete-In

Manor Ball Top



**MADE TO MEASURE SERVICE
AVAILABLE ON MANOR RANGE**



Arched Double

Manor Arched Double Gate FITTINGS INCLUDED (no screws)


CODE	FITS OPENING	CENTRE TOP OF FINIAL
MAZP10	2134mm (7')	1220mm (48")
MAZP13	2438mm (8')	1220mm (48")
MAZP16	2743mm (9')	1220mm (48")
MAZP19	3048mm (10')	1220mm (48")
MAZP22	3353mm (11')	1220mm (48")
MAZP25	3658mm (12')	1220mm (48")

Frame SIDE shoulder height is 820mm.

Height may vary slightly due to bow variance.

Manor Arched Double - Square Metal Posts

CODE	STYLE
Fits: MAZP10-13	
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
Fits: MAZP10-25	
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In



Flat Double

Manor Flat Double Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	TOP OF FINIAL
MAZP40	2134mm (7')	915mm (36")
MAZP43	2438mm (8')	915mm (36")
MAZP46	2743mm (9')	915mm (36")
MAZP49	3048mm (10')	915mm (36")
MAZP52	3353mm (11')	915mm (36")
MAZP55	3658mm (12')	915mm (36")

Frame shoulder height is 820mm.

Manor Flat Double - Square Metal Posts

CODE	STYLE
Fits: MAZP40-43	
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
Fits: MAZP40-55	
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

NOTE: The gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges.



Manor Single

Manor Low Flat Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	TOP OF FINIAL
MAZP05/1	762mm (2'6")	915mm (36")
MA05/3	914mm (3'0")	915mm (36")
MAZP05/3	914mm (3'0")	915mm (36")
MAZP05/5	1067mm (3'6")	915mm (36")

Frame shoulder height is 820mm.

MAZP06/3 914mm (3'0") 1220mm (48")

Frame shoulder height is 1125mm.

Select 1600mm long posts.

Manor Single - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
BP50X1600ZP	Flat Top, Blank Post, Concrete-In
BP50X1600BZP	Ball Top, Blank Post, Concrete-In



Weston Single

Weston

WESTON SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction.

Electro galvanised & powder coated black.

Adjustable hinges.

Frames 25mm x 8mm

Infill bars 12mm diameter

NB: Frame shoulder height does not match Manor gate or fence shoulder height.

Weston Low Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	TOP OF FINIAL
WESB	880mm (34.6")	1041mm (41")
WESC	955mm (37.6")	1041mm (41")

Frame shoulder height is 816mm.

Weston Single - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

Saxon Fleur-de-Lys Spear Top

SAXON SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames 25mm x 10mm

Infill bars 12mm diameter

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.



**MADE TO MEASURE
SERVICE AVAILABLE**



Arch Railing

Saxon Arched Railing Panel

FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	RAILING HEIGHTS
SAZP04	1830mm (6')	360mm (14.2") side frame height 490mm (19.3") side to top of finial, 660mm (26") centre top of finial.

Limited Made-to-Measure on Arched Railing, smaller opening sizes can be an issue when shaping the bow to look similar to the rest of the standard panels.

Saxon Arched Railing - Square Metal Post

CODE	STYLE
BP50X500ZP	Flat Top, Blank Post, Bolt Down
BP50X500BZP	Ball Top, Blank Post, Bolt Down



Fence

Saxon Fence Panel

FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF FINIAL
SAZP01	1830mm (6')	820mm (32.3")	950mm (37.4")

Saxon Fence - Square Metal Posts

CODE	STYLE
BP50X960ZP	Flat Top, Blank Post, Bolt-Down
BP50X960BZP	Ball Top, Blank Post, Bolt-Down
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

Blank Posts are better suited to uneven ground conditions, allowing the brackets to be positioned as required on the post, on-site drilling will be required.



Flat Railing

Saxon Flat Railing Panel

FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	FRAME HEIGHT	TOP OF FINIAL
SAZP03	1830mm (6')	360mm (14.2")	490mm (19.3")

Saxon Flat Railing - Square Metal Posts

BP50X500ZP	Flat Top, Blank Post, Bolt Down
BP50X500BZP	Ball Top, Blank Post, Bolt Down



Tall Single

Saxon Tall Bow Top Single Gate

FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	TOP OF FINIAL
SAZP30	762mm (2'6")	1943mm (76.4")
SAZP32	914mm (3'0")	1964mm (77.3")
SAZP34	1067mm (3'6")	1976mm (77.8")
SAZP36	1220mm (4'0")	1990mm (78.3")

Shoulder frame height is 1772mm
Height may vary slightly due to bow variance.

NOTE: The gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges.

Saxon Tall Bow Top Gate - Square Metal Posts

CODE	STYLE
BP70X2350ZP	Flat Top, Blank Post, Concrete-In
BP70X2350BZP	Ball Top, Blank Post, Concrete-In

Saxon Fleur-de-Lys Spear Top



**MADE TO MEASURE
SERVICE AVAILABLE**

SAXON SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Frames 25mm x 10mm

Infill bars 12mm diameter

NEW UPGRADED standard finish is electro galvanised for added rust resistance & powder coated black.



Arch Double

Saxon Arched Double Driveway Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	CENTRE TOP OF FINIAL
SAZP10	2134mm (7')	1245mm (49")
SAZP13	2438mm (8')	1245mm (49")
SAZP16	2743mm (9')	1245mm (49")
SAZP19	3048mm (10')	1245mm (49")
SAZP22	3353mm (11')	1245mm (49")
SAZP25	3658mm (12')	1245mm (49")

Frame SIDE shoulder height is 820mm.

Height may vary slightly due to bow variance.

Saxon Arched Double Gate - Square Metal Posts

CODE	STYLE
Fits: SAZP10-13	
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
Fits: SAZP10-25	
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In



Saxon Single



Warwick Single

Warwick

WARWICK SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Electro galvanised & powder coated black.

Frames 25mm x 8mm

Infill bars 12mm diameter

NB: Frame height does not match Saxon gate or fence height.

Saxon Low Flat Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	TOP OF FINIALS
SAZP05/1	762mm (2'6")	950mm (37.4")
SAZP05/3	914mm (3'0")	950mm (37.4")
SAZP05/5	1067mm (3'6")	950mm (37.4")

Frame shoulder height is 820mm.

NOTE: The gate hinges have been changed to adjustable I-bolt type, not as pictured on fixed hinges.

Saxon Low Flat Top Gate - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

Warwick Low Bow Top Single Gate FITTINGS INCLUDED (no screws)

CODE	FITS OPENING	TOP OF FINIALS
WASB	880mm (34.6")	1076mm (42.4")
WASC	955mm (37.6")	1076mm (42.4")

Frame SIDE shoulder height is 816mm.

Warwick Low Bow Top Gate - Square Metal Posts

CODE	STYLE
BP50X1400ZP	Flat Top, Blank Post, Concrete-In
BP50X1400BZP	Ball Top, Blank Post, Concrete-In
BP70X1400ZP	Flat Top, Blank Post, Concrete-In
BP70X1400BZP	Ball Top, Blank Post, Concrete-In

Corfe Premium Fleur-de-Lys Spear Top



MADE TO MEASURE SERVICE AVAILABLE

CORFE SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Heavy duty 25mm x 25mm box section frames

Infill bars 16mm diameter

Bow Frame 25mm x 10mm on Tall Split Bow

NEW UPGRADED finish (**ZP in code**) electro galvanised for added rust resistance & powder coated black.

Non **ZP** codes are only primed black, will need to be painted after installation.

Corfe Information

Corfe gates have adjustable hinges for levelling on installation.

All Corfe gates have the closing bolt on the right hand inside when viewed from the road.

Corfe Spear heads are black, not as pictured.

Fittings pack included (no screws)

Corfe range is made to order, delivery up to 28 days, call the Trade Helpline to confirm stock levels and delivery times.



Single

Corfe Single Gate

FITTINGS INCLUDED (no screws)

CODE FITS OPENING TOP OF FINIALS

Electro-Galvanised & Powder Coated

CFZP01 762mm (2'6") 1168mm (46")

CFZP03 914mm (3'0") 1168mm (46")

CFZP04 991mm (3'3") 1168mm (46")

CFZP05 1067mm (3'6") 1168mm (46")

Primed, requires painting

CF01 762mm (2'6") 1168mm (46")

CF03 914mm (3'0") 1168mm (46")

CF04 991mm (3'3") 1168mm (46")

CF05 1067mm (3'6") 1168mm (46")

Corfe Single - Square Metal Posts

CODE SIZE STYLE

MP15H2P 70mm Sq x 1830mm Flat Top, Hinge, Concrete-In

MP15L2P 70mm Sq x 1830mm Flat Top, Latch, Concrete-In

Corfe Tall Single Gate

FITTINGS INCLUDED (no screws)

CODE FITS OPENING TOP OF FINIALS

Electro-Galvanised & Powder Coated

CFZP30 762mm (2'6") 1778mm (70")

CFZP32 914mm (3'0") 1778mm (70")

CFZP33 991mm (3'3") 1778mm (70")

CFZP34 1067mm (3'6") 1778mm (70")

Primed, requires painting

CF30 762mm (2'6") 1778mm (70")

CF32 914mm (3'0") 1778mm (70")

CF33 991mm (3'3") 1778mm (70")

CF34 1067mm (3'6") 1778mm (70")

Corfe Tall Single Gate - Square Metal Posts

CODE SIZE STYLE

MP18H2P 70mm x 2400mm Flat Top, Hinge, Concrete-In

MP18L2P 70mm x 2400mm Flat Top, Latch, Concrete-In



Tall Single

Corfe Low Double Gate

FITTINGS INCLUDED (no screws)

CODE FITS OPENING TOP OF FINIALS

Electro-Galvanised & Powder Coated

CFZP10 2134mm (7') 1168mm (46")

CFZP13 2438mm (8') 1168mm (46")

CFZP16 2743mm (9') 1168mm (46")

CFZP19 3048mm (10') 1168mm (46")

CFZP22 3353mm (11') 1168mm (46")

CFZP25 3658mm (12') 1168mm (46")

Primed, requires painting

CF10 2134mm (7') 1168mm (46")

CF13 2438mm (8') 1168mm (46")

CF16 2743mm (9') 1168mm (46")

CF19 3048mm (10') 1168mm (46")

CF22 3353mm (11') 1168mm (46")

CF25 3658mm (12') 1168mm (46")

Corfe Double Gate - Square Metal Posts

CODE SIZE STYLE

Fits: CF10-16, CFZP10-16

MP15H2P 70mm Sq x 1830mm, Flat Top, Hinge, Concrete-In

Fits: CF10-25, CFZP10-25

MP21H2P 100mm Sq x 1830mm, Flat Top, Hinge, Concrete-In



Double

Corfe Premium Fleur-de-Lys Spear Top



**MADE TO MEASURE
SERVICE AVAILABLE**

CORFE SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Heavy duty 25mm x 25mm box section frames

Infill bars 16mm diameter

Bow Frame 25mm x 10mm on Tall Split Bow

NEW UPGRADED finish (**ZP in code**) electro galvanised for added rust resistance & powder coated black.

Non **ZP** codes are only primed black, will need to be painted after installation.

Corfe Information

Corfe gates have adjustable hinges for levelling on installation.

All Corfe gates have the closing bolt on the right hand inside when viewed from the road.

Corfe Spear heads are black, not as pictured.

Hinge brackets may differ from pictured hinge brackets.

Fittings pack included. (no screws)

Corfe range is made to order, delivery up to 28 days, call the Trade Helpline to confirm stock levels and delivery times.

Corfe Tall Flat Double

FITTINGS INCLUDED (no screws)

Electro-Galvanised & Powder Coated

CODE	FITS OPENING	TOP OF FINIALS
CFZP60	2134mm (7')	1778mm (70")
CFZP61	2438mm (8')	1778mm (70")
CFZP62	2743mm (9')	1778mm (70")
CFZP63	3048mm (10')	1778mm (70")
CFZP64	3353mm (11')	1778mm (70")
CFZP65	3658mm (12')	1778mm (70")

Primed, requires painting

CODE	FITS OPENING	TOP OF FINIALS
CF60	2134mm (7')	1778mm (70")
CF61	2438mm (8')	1778mm (70")
CF62	2743mm (9')	1778mm (70")
CF63	3048mm (10')	1778mm (70")
CF64	3353mm (11')	1778mm (70")
CF65	3658mm (12')	1778mm (70")

Corfe Tall Double Gate - Square Metal Posts


CODE STYLE

Fits: **MP18HZP** CF60-62, CFZP60-62
70mm Sq x 2400mm, Flat Top, Hinge, Concrete-In

Fits: **MP23HZP** CF60-65, CFZP60-65
100mm Sq x 2400mm, Flat Top, Hinge, Concrete-In



Tall Double



Bow Top

Corfe Tall Bow Top Double

FITTINGS INCLUDED (no screws)

Electro-Galvanised & Powder Coated

CODE	FITS OPENING	TOP OF FINIALS
CFZP90	2134mm (7')	2083mm (82")
CFZP91	2438mm (8')	2083mm (82")
CFZP92	2743mm (9')	2083mm (82")
CFZP93	3048mm (10')	2083mm (82")
CFZP94	3353mm (11')	2083mm (82")
CFZP95	3658mm (12')	2083mm (82")

Primed, requires painting

CODE	FITS OPENING	TOP OF FINIALS
CF90	2134mm (7')	2083mm (82")
CF91	2438mm (8')	2083mm (82")
CF92	2743mm (9')	2083mm (82")
CF93	3048mm (10')	2083mm (82")
CF94	3353mm (11')	2083mm (82")
CF95	3658mm (12')	2083mm (82")

Arch rises from 1778mm to 2083mm top of finials.

Corfe Tall Bow Top Gate - Square Metal Posts

CODE STYLE

Fits: **MP18HZP** CF90-91, CFZP90-91
70mm Sq x 2400mm, Flat Top, Hinge, Concrete-In

Fits: **MP23HZP** CF90-95, CFZP90-95
100mm Sq x 2400mm, Flat Top, Hinge, Concrete-In

Balmoral Premium Spear Top



LIMITED MADE TO MEASURE
DUE TO FIXED RING SIZE

BALMORAL SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Heavy duty 40mm x 10mm frames

Infill bars 16mm diameter

Tall Double gate hanging stiles 40mm x 30mm

NEW UPGRADED finish (**ZP in code**) electro galvanised for added rust resistance & powder coated black.

Non **ZP** codes are only primed black, will need to be painted after installation.

Balmoral Information

Balmoral gates have adjustable hinges for levelling on installation.

All Balmoral gates have the closing bolt on the right hand inside when viewed from the road.

Balmoral Spear heads are black, not as pictured.

Hinge brackets may differ from pictured hinge brackets.

Fittings pack included. (No screws)

Balmoral range is made to order, delivery up to 28 days, call the Trade Helpline to confirm stock levels and delivery times.



Single

Balmoral Single Gate

FITTINGS INCLUDED (no screws)

CODE FITS OPENING TOP OF FINIALS

Electro-Galvanised & Powder Coated

BAZP03 914mm (3'0") 1168mm (46")

BAZP05 1067mm (3'6") 1168mm (46")

Primed, requires painting

BA03 914mm (3'0") 1168mm (46")

BA05 1067mm (3'6") 1168mm (46")

Balmoral Single Gate - Square Metal Posts

CODE STYLE

MP15HZP 70mm Sq x 1830mm, Flat Top, Hinge, Concrete-In

MP15LZP 70mm Sq x 1830mm, Flat Top, Latch, Concrete-In



Arched Railing

Balmoral Shaped Railing Panel

FITTINGS INCLUDED (no screws)

CODE FITS OPENING PANEL SIDE HEIGHT

BAPZP06 1830mm (6') 735mm (29")

BAP06 1830mm (6') 735mm (29")

Balmoral Railing - Square Metal Posts

Blank bolt down posts to suit your application available on request, call the sales team.



Tall Single

Balmoral Tall Single Gate

FITTINGS INCLUDED (no screws)

CODE FITS OPENING TOP OF FINIALS

Electro-Galvanised & Powder Coated

BAZP32 914mm (3'0") 1905mm (75")

BAZP34 1067mm (3'6") 1905mm (75")

Primed, requires painting

BA32 914mm (3'0") 1905mm (75")

BA34 1067mm (3'6") 1905mm (75")

Balmoral Tall Single Gate - Square Metal Posts

CODE STYLE

MP18HZP 70mm Sq x 2400mm, Flat Top, Hinge, Concrete-In

MP18LZP 70mm Sq x 2400mm, Flat Top, Latch, Concrete-In



Railing

Balmoral Plain Railing Panel

FITTINGS INCLUDED (no screws)

CODE FITS OPENING FRAME HEIGHT TOP OF FINIALS

BARZP06 1830mm (6') 407mm (16") 560mm (22")

BAR06 1830mm (6') 407mm (16") 560mm (22")

Balmoral Premium Spear Top



LIMITED MADE TO MEASURE
DUE TO FIXED RING SIZE

BALMORAL SPECIFICATIONS

Products fit a total post to post GAP, hinge and latch gaps are already accounted for.

Solid steel construction

Heavy duty 40mm x 10mm frames

Infill bars 16mm diameter

Tall Double gate hanging stiles 40mm x 30mm

NEW UPGRADED finish (**ZP in code**) electro galvanised for added rust resistance & powder coated black.

Non **ZP** codes are only primed black, will need to be painted after installation.

Balmoral Information


Balmoral gates have adjustable hinges for levelling on installation. All Balmoral gates have the closing bolt on the right hand side when viewed from the road.

Balmoral Spear heads are primed black, not as pictured.

Balmoral range is made to order, delivery up to 28 days, call the Trade Helpline to confirm stock levels and delivery times.



Low Double



Balmoral Low Double Driveway Gate

FITTINGS INCLUDED (no screws)

CODE FITS OPENING TOP OF FINIALS
Electro-Galvanised & Powder Coated

BAZP10	2134mm (7')	1168mm (46")
BAZP13	2438mm (8')	1168mm (46")
BAZP15	2743mm (9')	1168mm (46")
BAZP19	3048mm (10')	1168mm (46")
BAZP20	3353mm (11')	1168mm (46")
BAZP21	3658mm (12')	1168mm (46")

Primed, requires painting

BA10	2134mm (7')	1168mm (46")
BA13	2438mm (8')	1168mm (46")
BA15	2743mm (9')	1168mm (46")
BA19	3048mm (10')	1168mm (46")
BA20	3353mm (11')	1168mm (46")
BA21	3658mm (12')	1168mm (46")

Balmoral Double Gate - Square Metal Posts

CODE	STYLE
Fits:	BA10-15, BAZP10-15
MP15HZP	70mm Sq x 1830mm, Hinge, Concrete-In
Fits:	BA10-21, BAZP10-21
MP21HZP	100mm Sq x 1830mm, Hinge, Concrete-In

Balmoral Rings Railing Panel

CODE	FITS OPENING	FRAME HEIGHT	TOP OF FINIALS
BARZP07	1830mm (6')	407mm (16")	560mm (22")
BAR07	1830mm (6')	407mm (16")	560mm (22")

Balmoral Tall Bow Top Double Gate

FITTINGS INCLUDED (no screws)

CODE FITS OPENING TOP OF FINIALS
Electro-Galvanised & Powder Coated

BAZP90	2134mm (7')	2082mm (82")
BAZP91	2438mm (8')	2082mm (82")
BAZP92	2743mm (9')	2082mm (82")
BAZP93	3048mm (10')	2082mm (82")
BAZP94	3353mm (11')	2082mm (82")
BAZP95	3658mm (12')	2082mm (82")

Primed, requires painting

BA90	2134mm (7')	2082mm (82")
BA91	2438mm (8')	2082mm (82")
BA92	2743mm (9')	2082mm (82")
BA93	3048mm (10')	2082mm (82")
BA94	3353mm (11')	2082mm (82")
BA95	3658mm (12')	2082mm (82")

Arch rises from 1775mm to 2082mm, Top of finials.

Hinge brackets supplied may not be as pictured.

Balmoral Tall Double Gate - Square Metal Posts

CODE	STYLE
Fits:	BA90-91, BAZP90-91
MP18HZP	70mm Sq x 2400mm, Hinge, Concrete-In
Fits:	BA90-95, BAZP90-95
MP23HZP	100mm Sq x 2400mm, Hinge, Concrete-In
MP24ZP	150mm Sq x 2400mm, Hinge, Concrete-In




Bow Top Double

Metal Decking Infill Panels

Wooden posts and hand rails are not included.

 MADE TO MEASURE SERVICE IS
NOT AVAILABLE ON DECK PANELS



Garda Deck Panel - pack of 2
PACK CODE **DPGB** COLOUR **BLACK**
HEIGHT 770mm (30.25") WIDTH 280mm (11")



Ascot Deck Panel - pack of 2
PACK CODE **DPAB** COLOUR **BLACK**
HEIGHT 770mm (30.25") WIDTH 280mm (11")



Metro Deck Panel - pack of 2
PACK CODE **DPMB** COLOUR **BLACK**
HEIGHT 770mm (30.25") WIDTH 280mm (11")



Plaza Deck Panel - pack of 2
PACK CODE **DPSS** COLOUR **GREY'ish SILVER**
HEIGHT 770mm (30.25") WIDTH 280mm (11")



Coast Deck Panel - pack of 2
PACK CODE **DPCB** COLOUR **BLACK**
HEIGHT 770mm (30.25") WIDTH 280mm (11")




Swirl Deck Panel - pack of 2
PACK CODE **DPSS** COLOUR **GREY'ish SILVER**
HEIGHT 770mm (30.25") WIDTH 280mm (11")

DECK PANEL SPECIFICATIONS

For screw fixing between timber posts and hand rails.
Solid steel construction.
Electro galvanised for added rust resistance and powder coated finish.
16mm x 6mm Flat bar top and base rails.
Infill bars 10mm diameter.
Scrollwork 10mm x 3mm.

EACH PACK: TWO PANELS TO FORM A RUN OF 560mm
Screws are not included.
Wooden posts and hand rails are not included.



Large Metal Decking Fence Panels

DECK PANEL SPECIFICATIONS

For screw fixing between timber posts and hand rails.
Solid steel construction.

Electro galvanised for added rust resistance and powder coated finish.

16mm x 6mm Flat bar top and base rails

Infill bars 12mm and 6mm diameter


EACH PACK: ONE PANEL TO FORM A RUN OF 560mm

Screws are not included.

Wooden posts and hand rails are not included.



MADE TO MEASURE SERVICE IS
NOT AVAILABLE ON DECK PANELS



Java
Black

Bali
Silver



Java Deck Panel - pack of 1

PACK CODE **DPJB** COLOUR **BLACK**

HEIGHT 770mm (30.25") WIDTH 560mm (22")



Bali Deck Panel - pack of 1

PACK CODE **DPBS** COLOUR **GREY'ish SILVER**

HEIGHT 770mm (30.25") WIDTH 560mm (22")

LARGE DECKING / FENCE PANELS

Solid steel construction - Electro galvanised & powder coated black.

40mm x 6mm flat bar top rail, 25mm x 6mm flat bar bottom rail,

RIPPLE and DECO Infill bars 10 mm diameter

NOVA Infill bars 12mm and 6mm diameter



MADE TO MEASURE SERVICE IS
NOT AVAILABLE ON DECK PANELS



Deco FITTINGS INCLUDED (no screws)

PANEL CODE **LPDB** COLOUR **BLACK**

HEIGHT 813mm (32) WIDTH 1130mm (44.5")



Ripple FITTINGS INCLUDED (no screws)

PANEL CODE **LPRB** COLOUR **BLACK**

HEIGHT 813mm (32) WIDTH 1130mm (44.5")



Nova FITTINGS INCLUDED (no screws)

PANEL CODE **LPNB** COLOUR **BLACK**

HEIGHT 813mm (32) WIDTH 1130mm (44.5")



Large Deck Panels - Square Metal Post

CODE

STYLE

BP50X960ZP

Flat Top, Blank Post, Bolt-Down

BP50X960BZP

Ball Top, Blank Post, Bolt-Down

BP50X1400ZP

Flat Top, Blank Post, Concrete-in

BP50X1400BZP

Ball Top, Blank Post, Concrete-in

Blank Posts are better suited to uneven ground conditions, allowing the brackets to be positioned as required on the post, on-site drilling will be required.



Deco, Ripple and Nova metal deck panels are supplied with brackets for fixing to metal posts, to brickwork or wooden posts. (Screws NOT included)

Evington Wooden Farm/Field Style Gate

EVINGTON SINGLE FIELD GATE SPECIFICATIONS

Gates and posts made from Scandinavian Redwood from managed forests. Stiles 127 x 75mm, Rails 75 x 25mm, Mortice and tenon joints. Treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have a final finish applied



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order,
can be up to 28 working days



EV13S-25S

Evington 5 Bar Field Gate

CODE	ACTUAL SIZE	GATE HEIGHT
EV03	900mm (35.5")	1200mm (47.25")
EV07	1200mm (47.3")	1200mm (47.25")
EV13S	2400mm (94.5")	1200mm (47.25")
EV19S	3000mm (118")	1200mm (47.25")
EV25S	3600mm (141.7")	1200mm (47.25")

Evington - Timber Posts

CODE	TYPE	SIZE	FITS
WP36S	SQUARE TOP	70x70x1800mm	EV03-EV07 (Wall Mounted post)
WP47S	SQUARE TOP	100x100x1800mm	EV03-EV07
WP47P	PYRAMID TOP	100x100x1800mm	EV03-EV07
WP66P	PYRAMID TOP	150x150x1800mm	EV03-EV25S



EV03-07



FGFS Field Gate Spring Fastener Set



FGTO Field Gate Throwover Latch



FGFTS Field Gate Timber Fitting Set



FGFBS Field Gate Brick Fitting Set



BSB Bretton Sliding Bolt



SLGC Self-Locking Gate Catch

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

Carlton Wooden Gates



MADE TO MEASURE SERVICE AVAILABLE

CARLTON SPECIFICATIONS

Gates and posts made from Scandinavian Redwood.
Bracing 65 x 28mm, Tongue and groove 95 x 14mm,
Pressure treated with a general-purpose preserver which gives
protection against decay, mould and blue-staining fungi, should still
have final finish applied.



Square Single



Bow Single

Carlton Square Top Single

CODE	ACTUAL WIDTH	GATE HEIGHT
CA30	750mm (29.5")	1800mm (71")
CA32	900mm (35.5")	1800mm (71")
CA34	1050mm (41.3")	1800mm (71")

Carlton Square Top Single Gate Timber Posts

CODE	SIZE	TYPE
WP38S	70x70x2400mm	Square Top (Wall Mounted)
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top



Single Gate fittings
GGFS/BLACK
GGFS/GALV

Carlton Bow Top Single


CODE	ACTUAL WIDTH	GATE HEIGHT
CA40	750mm (29.5")	1800mm (71")
CA42	900mm (35.5")	1800mm (71")
CA44	1050mm (41.3")	1800mm (71")

Carlton Bow Top Single Gate Timber Posts

CODE	SIZE	TYPE
WP38S	70x70x2400mm	Square Top (Wall Mounted)
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top



Double



Back of Double Gate

Carlton Double Driveway Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
CATD50	1500mm (59")	1800mm (71")
CATD52	1800mm (71")	1800mm (71")
CATD54	2100mm (82.5")	1800mm (71")

Carlton Double Gate Timber Posts

CODE	SIZE	TYPE
WP38S	70x70x2400mm	Square Top (Wall Mounted)
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top



BSB Bretton Sliding Bolt



Double Gate Fitting Set
GGFP/BLACK
GGFP/GALV



All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

Quorn Wooden Gates



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order,
can be up to 28 working days

QUORN SPECIFICATIONS

Gates and posts made from European managed forest Scandinavian Redwood.

Frame 70x70mm

Bracing 70x54mm & 44x44mm

Tongue and groove boards 95x14mm

Pressure Treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied after fitting.

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion



Single

Quorn Single Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
QU01	750mm (29.5")	900mm (35.5")
QU03	900mm (35.5")	900mm (35.5")
QU05	1050mm (41.3")	900mm (35.5")

Quorn Single Gate Timber Posts

CODE	SIZE	FITS
WP36S	70x70x1800mm, Square Top, (Wall Mounted post)	QU01-05
WP44S	100x100x1350mm, Square Top,	QU01-05
WP46S	100x100x1650mm, Square Top,	QU01-05
WP46P	100x100x1650mm, Pyramid Top,	QU01-05



Single Gate Fitting Set

CODE	FITS
SGFS/BLACK	QU01-QU05
SGFS/GALV	QU01-QU05



Single Front



Single Back



Bretton Sliding Bolt

CODE	FITS
BSB	All Gates



Double

Quorn Low Double Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
QUD10	2400mm (94.5")	900mm (35.5")
QUD11	2700mm (106.3")	900mm (35.5")
QUD12	3000mm (118")	900mm (35.5")
QUD13	3300mm (130")	900mm (35.5")
QUD14	3600mm (141.7")	900mm (35.5")

Quorn Low Double Gate Timber Posts

CODE	SIZE	FITS
WP44S	100x100x1350mm, Square Top,	QUD10-11
WP46S	100x100x1650mm, Square Top,	QUD10-14
WP46P	100x100x1650mm, Pyramid Top,	QUD10-14
WP55P	125x125x1525mm, Pyramid Top,	QUD10-14

CODE	SIZE	FITS
SGFP/BLACK	18" Hook & Band	QUD10-QUD11
SGFP/GALV	18" Hook & Band	QUD10-QUD11
EGFS/BLACK	24" Hook & Band	QUD10-QUD14
EGFS/GALV	24" Hook & Band	QUD10-QUD14

Double Gate Fitting Set

Hook & Band



Back of Double Gate

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

Quorn Tall Wooden Gates



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order,
can be up to 28 working days



Tall Single



Single Back

Quorn Tall Single Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
QU21	750mm (29.5")	1800mm (71")
QU23	900mm (35.5")	1800mm (71")
QU25	1050mm (41.3")	1800mm (71")

Quorn Tall Single Gate Timber Posts

CODE	SIZE	TYPE
WP38S	70x70x2400mm	Square Top (Wall Mounted)
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top
WP49S	100x100x2600mm	Square Top



Tall Double

Quorn Tall Double Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
QUD30	2400mm (94.5")	1800mm (71")
QUD31	2700mm (106.3")	1800mm (71")
QUD32	3000mm (118")	1800mm (71")
QUD33	3300mm (129")	1800mm (71")
QUD34	3600mm (141.7")	1800mm (71")

Quorn Tall Double Gate Timber Posts

CODE	SIZE	FITS
WP48S	100x100x2400mm	QUD30-QUD32 Square Top
WP48P	100x100x2400mm	QUD30-QUD32 Pyramid Top
WP49S	100x100x2600mm	QUD30-QUD34 Square Top
WP68P	150x150x2400mm	QUD30-QUD34 Pyramid Top

QUORN SPECIFICATIONS

Gates and posts made from European managed Scandinavian Redwood.

Frame 70x70mm

Bracing 70x54mm & 44x44mm

Tongue and groove 95x14mm

Treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion



Bretton Sliding Bolt

CODE FITS
BSB All gates



Single Gate Fitting Set

18" Hook & Band
CODE FITS
SGFS/BLACK QU21-25
SGFS/GALV QU21-25



Double Gate Fitting Set

24" Hook & Band
CODE FITS
EGFS/BLACK QUD30-QUD34
EGFS/GALV QUD30-QUD34



Double Back

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

www.burbageironcraft.co.uk sales@burbageironcraft.co.uk Tel: 01543 438217

Drayton Square Top Wooden Gates

DRAYTON SQUARE TOP SPECIFICATIONS

Gates and posts made from European managed forest Scandinavian Redwood.
Frame 70x70mm, Bracing 70x54mm & 44x44mm, Tongue and groove 95x14mm
Pressure treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.



Low Single

Drayton Low Single Gate - Square Top

CODE	ACTUAL WIDTH	GATE HEIGHT
DR00	750mm (29.5")	950mm (37.4")
DR02	900mm (35.5")	950mm (37.4")
DR04	1050mm (41.3")	950mm (37.4")

Drayton Low Single - Square Top Timber Posts

CODE	SIZE	STYLE
WP36S	70x70x1800mm	Square Top (Wall Mounted)
WP44S	100x100x1350mm	Square Top
WP46S	100x100x1650mm	Square Top
WP46P	100x100x1650mm	Pyramid Top
WP44S	100x100x1350mm	Square Top



Low Single Back



Mid & Tall Single

Drayton Mid Single - Square Top

CODE	ACTUAL WIDTH	GATE HEIGHT
DR70	750mm (29.5")	1500mm (59")
DR72	900mm (35.5")	1500mm (59")
DR74	1050mm (41.3")	1500mm (59")

Drayton Tall Single - Square Top

CODE	ACTUAL WIDTH	GATE HEIGHT
DR50	750mm (29.5")	1800mm (71")
DR52	900mm (35.5")	1800mm (71")
DR54	1050mm (41.3")	1800mm (71")

Drayton Mid & Tall Single Gate Timber Posts

CODE	SIZE	TYPE
WP38S	70x70x2400mm	Square Top (Wall Mounted)
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top
WP49S	100x100x2600mm	Square Top



Tall Single Back

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order, can be up to 28 working days



Bretton Sliding Bolt

CODE	FITS
BSB	All Gates



Single Gate Fitting Set

18" Hook & Band
CODE
SGFS/BLACK
SGFS/GALV

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

Drayton Square Top Wooden Gates

DRAYTON SQUARE TOP SPECIFICATIONS

Gates and posts made from European managed forest Scandinavian Redwood.
Frame 70x70mm, Bracing 70x54mm & 44x44mm, Tongue and groove 95x14mm
Pressure treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order, can be up to 28 working days

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.



Double Gate Fitting Set

18" Hook & Band

CODE	FITS
SGFP/BLACK	DR11-DR12
SGFP/GALV	DR11-DR12

24" Hook & Band

CODE	FITS
EGFS/BLACK	DR11-DR15
EGFS/GALV	DR11-DR15



Drayton Low Double - Square Top

CODE	ACTUAL WIDTH	GATE HEIGHT
DR11	2400mm (94.5")	950mm (37.4")
DR12	2700mm (106.3")	950mm (37.4")
DR13	3000mm (118")	950mm (37.4")
DR14	3300mm (130")	950mm (37.4")
DR15	3600mm (141.7")	950mm (37.4")

Low Double

Low Double Back



Drayton Low Double Gate Timber Posts

CODE	SIZE		FITS
WP44S	100x100x1350mm	Square Top,	DR11-12
WP46S	100x100x1650mm	Square Top,	DR11-15
WP46P	100x100x1650mm	Pyramid Top,	DR11-15
WP55P	125x125x1525mm	Pyramid Top,	DR11-15



Tall Double



Brettton Sliding Bolt

CODE	FITS
BSB	All Gates

Double Gate Fitting Set

24" Hook & Band

CODE	
EGFS/BLACK	DR61-DR65
EGFS/GALV	DR61-DR65



Tall Double Back



Drayton Tall Double - Square Top

CODE	ACTUAL WIDTH	GATE HEIGHT
DR61	2400mm (94.5")	1800mm (71")
DR62	2700mm (106.3")	1800mm (71")
DR63	3000mm (118")	1800mm (71")
DR64	3300mm (130")	1800mm (71")
DR65	3600mm (141.7")	1800mm (71")



Drayton Tall Double Gate Timber Posts

CODE	SIZE		FITS
WP48P	100x100x2400mm	Pyramid Top	DR61-DR62
WP48S	100x100x2400mm	Square Top	DR61-DR62
WP49S	100x100x2600mm	Square Top	DR61-DR62
WP68P	150x150x2400mm	Pyramid Top	DR61-DR65

Drayton Shaped Top Wooden Gate

DRAYTON SHAPED TOP SPECIFICATIONS

Gates and posts made from European managed forest Scandinavian Redwood. Frame 70x70mm, Bracing 70x54mm & 44x44mm, Tongue and groove 95x14mm Pressure treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order, can be up to 28 working days

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion



Drayton Low Double - Shaped Top

CODE	ACTUAL WIDTH	CENTRE HEIGHT	SIDE HEIGHT
DR21	2400mm (94.5")	1250mm (49")	950mm (37.4")
DR22	2700mm (106.3")	1250mm (49")	950mm (37.4")
DR23	3000mm (118")	1250mm (49")	950mm (37.4")
DR24	3300mm (130")	1250mm (49")	950mm (37.4")
DR25	3600mm (141.7")	1250mm (49")	950mm (37.4")

Drayton Low Double Shaped Top Gate Timber Posts

CODE	SIZE	TYPE	FITS
WP44S	100x100x1350mm	Square Top	DR21-22
WP46S	100x100x1650mm	Square Top	DR21-22
WP46P	100x100x1650mm	Pyramid Top	DR21-22
WP55P	125x125x1525mm	Pyramid Top	DR21-25



Drayton matching Single Gate to position alongside double gate.


CODE	ACTUAL WIDTH	GATE HEIGHT
DR00	750mm (29.5")	950mm (37.4")
DR02	900mm (35.5")	950mm (37.4")
DR04	1050mm (41.3")	950mm (37.4")

Drayton Low Single Gate Timber Posts

CODE	SIZE	STYLE
WP36S	70x70x1800mm	Square Top <i>(Wall Mounted)</i>
WP44S	100x100x1350mm	Square Top
WP46S	100x100x1650mm	Square Top
WP46P	100x100x1650mm	Pyramid Top



Shaped Double can be fitted either low or high centre



Double Back



Double Gate Fitting Set

CODE	SIZE	FITS
SGFP/BLACK	18" Hook & Band	DR21-DR22
SGFP/GALV	18" Hook & Band	DR21-DR22
EGFS/BLACK	24" Hook & Band	DR21-DR25
EGFS/GALV	24" Hook & Band	DR21-DR25



Bretton Sliding Bolt

CODE	FITS
BSB	All Gates

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion. All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

Drayton Shaped Top Wooden Gate

DRAYTON SHAPED TOP SPECIFICATIONS

Gates and posts made from European managed forest Scandinavian Redwood. Frame 70x70mm, Bracing 70x54mm & 44x44mm, Tongue and groove 95x14mm Pressure treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order, can be up to 28 working days

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion



Shaped Top Double



Mid & Tall Single

Drayton Shaped Top Double Gates

CODE	ACTUAL WIDTH	CENTRE HEIGHT	SIDE HEIGHT
DR91	2400mm (94.5")	1800mm (71")	1500mm (59")
DR92	2700mm (106.3")	1800mm (71")	1500mm (59")
DR93	3000mm (118")	1800mm (71")	1500mm (59")
DR94	3300mm (130")	1800mm (71")	1500mm (59")
DR95	3600mm (141.7")	1800mm (71")	1500mm (59")

Drayton Shaped Top Double Gate Timber Posts

CODE	SIZE	FITS
WP48S	100x100x2400mm	DR91-DR92 Square Top
WP48P	100x100x2400mm	DR91-DR92 Pyramid Top
WP49S	100x100x2600mm	DR91-DR92 Square Top
WP68P	150x150x2400mm	DR91-DR95 Pyramid Top



Double Gate Fitting Set 24" Hook & Band

CODE
EGFS/BLACK
EGFS/GALV

Drayton matching Single Gate to position alongside **HIGH** centred double

CODE	ACTUAL WIDTH	GATE HEIGHT
DR70	750mm (29.5")	1500mm (59")
DR72	900mm (35.5")	1500mm (59")
DR74	1050mm (41.3")	1500mm (59")

Drayton matching Single Gate to position alongside **LOW** centred double

CODE	ACTUAL WIDTH	GATE HEIGHT
DR50	750mm (29.5")	1800mm (71")
DR52	900mm (35.5")	1800mm (71")
DR54	1050mm (41.3")	1800mm (71")

Drayton Single Gate Timber Posts

CODE	SIZE	TYPE
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top



Shaped Double Back - This gate can be fitted either high or low centred

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

www.burbageironcraft.co.uk sales@burbageironcraft.co.uk Tel: 01543 438217

Hampton Wooden Gates



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order,
can be up to 28 working days



Single

Hampton Single Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
HA01	750mm (29.5")	1200mm (47")
HA03	900mm (35.5")	1200mm (47")
HA05	1050mm (41.3")	1200mm (47")

Hampton Single Gate Timber Posts

CODE	SIZE	
WP36S	70x70x1800mm	Square Top (Wall Mounted)
WP46S	100x100x1650mm	Flat Top
WP46P	100x100x1650mm	Pyramid Top



Single Gate Fitting Set

CODE	FITS
SGFS/BLACK	HA01-HA05
SGFS/GALV	HA01-HA05



Single Front



Single Back



Brettton Sliding Bolt

CODE	FITS
BSB	All Gates



Low Double

Hampton Low Double Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
HAD30	2400mm (94.5")	1200mm (47")
HAD31	2700mm (106.3")	1200mm (47")
HAD32	3000mm (118")	1200mm (47")
HAD33	3300mm (129")	1200mm (47")
HAD34	3600mm (141.7")	1200mm (47")

Hampton Low Double Gate Timber Posts

CODE	SIZE	TOP	FITS
WP46S	100x100x1650mm	SQUARE	HAD30-31
WP46P	100x100x1650mm	PYRAMID	HAD30-31
WP64P	150x150x1650mm	PYRAMID	HAD30-34



Low Double Back



Double Gate Fitting Set

CODE	SIZE	FITS
SGFP/BLACK	18" Hook & Band	HAD30-31
SGFP/GALV	18" Hook & Band	HAD30-31
EGFS/BLACK	24" Hook & Band	HAD30-34
EGFS/GALV	24" Hook & Band	HAD30-34

HAMPTON SPECIFICATIONS

Gates and posts made from European managed Scandinavian Redwood.

Frame 70x70mm

Bracing 70x54mm & 44x44mm

Tongue and groove 95x14mm

Steel infill bars 16mm tube diameter

Treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.

Steel bars and finials are primed black, will require a final coat of paint, not as pictured.

Optional ball top finials available on request.

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
 All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

www.burbageironcraft.co.uk sales@burbageironcraft.co.uk Tel: 01543 438217

Hampton Wooden Gates



MADE TO MEASURE SERVICE AVAILABLE
Limited stock held - Usually made to order,
can be up to 28 working days



Tall Single



Tall Single Back

Hampton Tall Single Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
HAT10	750mm (29.5")	1800mm (71")
HAT12	900mm (35.5")	1800mm (71")
HAT14	1050mm (41.3")	1800mm (71")

Hampton Tall Single Gate Timber Posts

CODE	SIZE	TYPE
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top



HAMPTON SPECIFICATIONS

Gates and posts made from European managed Scandinavian Redwood

Frame 70x70mm

Bracing 70x54mm & 44x44mm

Tongue and groove 95x14mm

Steel infill bars 16mm tube diameter

Treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.

Steel bars and finials are primed black, will require a final coat of paint, not as pictured.

Optional ball top finials available on request.

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion



Single Gate Fitting Set

18" Hook & Band

CODE	FITS
SGFS/BLACK	HAT10-HAT14
SGFS/GALV	HAT10-HAT14



Bretton Sliding Bolt

CODE	FITS
BSB	All gates



Double Gate Fitting Set

24" Hook & Band

CODE	FITS
EGFS/BLACK	HATD40-HATD44
EGFS/GALV	HATD40-HATD44



Tall Double



Hampton Tall Double Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
HATD40	2400mm (94.5")	1800mm (71")
HATD41	2700mm (106.3")	1800mm (71")
HATD42	3000mm (118")	1800mm (71")
HATD43	3300mm (129")	1800mm (71")
HATD44	3600mm (141.7")	1800mm (71")

Hampton Tall Double Gate Timber Posts

CODE	SIZE	TYPE	FITS
WP48S	100x100x2400mm	Square Top	HATD40-HATD42
WP48P	100x100x2400mm	Pyramid Top	HATD40-HATD42
WP68P	150x150x2400mm	Pyramid Top	HATD40-HATD44

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.

All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

Windsor Wooden Gates



MADE TO MEASURE NOT AVAILABLE
Limited stock held - Usually made to order,
can be up to 28 working days

NB: All Timber gate sizes are subject to slight
variation due to normal shrinkage/expansion

WINDSOR SPECIFICATIONS

Gates and posts made from European managed Scandinavian Redwood.

Frame 70x70mm

Bracing 70x54mm & 44x44mm

Tongue and groove 95x14mm

Steel infill panel zinc & powder coated black.

Treated with a general-purpose preserver which gives
protection against decay, mould and blue-staining fungi, should
still have final finish applied.



Windsor Single Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
WI01	750mm (29.5")	1200mm (47")
WI03	900mm (35.5")	1200mm (47")
WI05	1050mm (41.3")	1200mm (47")

Windsor Single Gate Timber Posts

CODE	SIZE	
WP36S	70x70x1800mm	Square Top (Wall Mounted)
WP46S	100x100x1650mm	Square Top
WP46P	100x100x1650mm	Pyramid Top



Single Back



Bretton Sliding Bolt

CODE	FITS
BSB	All Gates



Single Gate Fitting Set

18" Hook & Band

CODE	FITS
SGFS/BLACK	WI01-WI05
SGFS/GALV	WI01-WI05



Double Gate Fitting Set

18" Hook & Band

CODE	FITS
SGFP/BLACK	WID30-WID31
SGFP/GALV	WID30-WID31

24" Hook & Band

CODE	FITS
EGFS/BLACK	WID30-WID34
EGFS/GALV	WID30-WID34



Windsor Low Double Driveway Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
WID30	2400mm (94.5")	1200mm (47")
WID31	2700mm (106.3")	1200mm (47")
WID32	3000mm (118")	1200mm (47")
WID33	3300mm (129")	1200mm (47")
WID34	3600mm (141.7")	1200mm (47")

Windsor Low Double Gate Timber Posts

CODE	SIZE	FITS
WP46S	100x100x1650mm	Square Top WID30-31
WP46P	100x100x1650mm	Pyramid Top WID30-31
WP64P	150x150x1650mm	Pyramid Top WID30-34



Low Double Back

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

www.burbageironcraft.co.uk sales@burbageironcraft.co.uk Tel: 01543 438217

Windsor Wooden Gates



MADE TO MEASURE NOT AVAILABLE
Limited stock held - Usually made to order,
can be up to 28 working days



Tall Single



Single Back

Windsor Tall Single Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
WI10	750mm (29.5")	1800mm (71")
WI12	900mm (35.5")	1800mm (71")
WI14	1050mm (41.3")	1800mm (71")

Windsor Tall Single Gate Timber Posts

CODE	SIZE	TYPE
WP48S	100x100x2400mm	Square Top
WP48P	100x100x2400mm	Pyramid Top



Tall Double

Windsor Tall Double Garden Gate

CODE	ACTUAL WIDTH	GATE HEIGHT
WID40	2400mm (94.5")	1800mm (71")
WID41	2700mm (106.3")	1800mm (71")
WID42	3000mm (118")	1800mm (71")
WID43	3300mm (129")	1800mm (71")
WID44	3600mm (141.7")	1800mm (71")

Windsor Tall Double Gate Timber Posts

CODE	SIZE	FITS
WP48S	100x100x2400mm Square Top	WID40-WID42
WP48P	100x100x2400mm Pyramid Top	WID40-WID42
WP68P	150x150x2400mm Pyramid Top	WID40-WID44

WINDSOR SPECIFICATIONS

Gates and posts made from European managed Scandinavian Redwood.

Frame 70x70mm

Bracing 70x54mm & 44x44mm

Tongue and groove 95x14mm

Steel infill panel zinc & powder coated black.

Treated with a general-purpose preserver which gives protection against decay, mould and blue-staining fungi, should still have final finish applied.

NB: All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion



Bretton Sliding Bolt

CODE	FITS
BSB	All gates



Single Gate Fitting Set

CODE	FITS
SGFS/BLACK	WI10-WI14
SGFS/GALV	WI10-WI14



Double Gate Fitting Set

CODE	FITS
EGFS/BLACK	WID40-WID44
EGFS/GALV	WID40-WID44



Double Back

All Timber gate sizes are subject to slight variation due to normal shrinkage/expansion.
All timber used in the manufacture of the wooden gates is only purchased from FSC & PEFC certified suppliers.

www.burbageironcraft.co.uk sales@burbageironcraft.co.uk Tel: 01543 438217

Burbage Iron Craft Ltd

METAL GATES & FENCING

WOODEN GATES

ROSE ARCHES

2022



TB 2022 V1



www.burbageironcraft.co.uk
sales@burbageironcraft.co.uk
Tel: 01543 438217